Foreword

The Air and Solid Waste Division of the Jefferson County Department of Health prepares this report annually. It analyzes the results of air monitoring stations located throughout Jefferson County for the purpose of measuring the outdoor concentrations of those pollutants for which the U. S. Environmental Protection Agency has established ambient air quality standards (with the exception of nitrogen dioxide, which is not necessary in an urban area the size of Birmingham):

- Carbon Monoxide
- Ozone
- Lead

- Particulate Matter
- Sulfur Dioxide

This report includes general discussions of the background information, possible sources, and health effects of each pollutant along with any occurrences of exceedances of air quality standards. Also included is a summary of field enforcement activities. An effective field enforcement program contributes directly to improved air quality and pollutant level measurements within acceptable limits.

Table of Contents

	Page
Foreword	i
List of Tables and Graphs	2
List of Acronyms and Symbols	3
Executive Summary	4
1.0 Introduction	5
2.0 Ambient Air Quality Standards	6
3.0 Monitoring Network Types	7
4.0 Description of Pollutants	9
4.1 Carbon Monoxide	9
4.2 Lead	9
4.3 Ozone	9
4.4 Particulates	10
4.5 Sulfur Dioxide	10
5.0 Monitoring Results	11
5.1 Carbon Monoxide	11
5.2 Lead	11
5.3 Ozone	11
5.4 Particulate Matter	11
5.5 Sulfur Dioxide	12
5.6 Tables and Figures	13
6.0 Exceedances of the Ambient Air Quality Standards	31
7.0 Field Enforcement Activities	32
7.1 Industrial and Commercial Facilities	
7.1.1 Inspections	
7.1.2 Incinerators	
7.2 Open Burning	
7.3 Other Programs	
7.3.2 Asbestos Abatement	
7.3.3 Indoor Air Quality	
7.3.4 Dry Cleaners	
8 0 Air Pollution Source Permitting	34

List of Tables and Graphs

	Pa	ge
Table 2.1	National Ambient Air Quality Standards	6
Table 3.1	Jefferson County 1997 Air Monitoring Network	8
Table 5.6.1	Carbon Monoxide Maximum Values (1992 - 1997)	13
Graph 5.6.1	Carbon Monoxide Maximum 1-Hour Averages (1992 - 1997)	14
Graph 5.6.2	Carbon Monoxide Maximum 8-Hour Averages (1992 - 1997)	15
Table 5.6.2	Lead Quarterly Mean Values (1992 - 1997)	16
Graph 5.6.3	Lead Quarterly Mean Values (1992 - 1996)	17
Table 5.6.3	Ozone Maximum 1-Hour Averages (1992 - 1997)	18
Table 5.6.4	Ozone Maximum 8-Hour Averages (1997)	19
Graph 5.6.4	Ozone Maximum 1-Hour Averages (1992 - 1997)	20
Graph 5.6.5	Ozone 4 th Maximum 8-Hour Averages (1997)	21
Table 5.6.5	Exceedances of the Birmingham Ozone Nonattaiment Area (1996 - 1997)	22
Table 5.6.6	Particulate Matter Maximums (1992 - 1997)	23
Graph 5.6.6	PM10 Annual Means (1992 - 1997)	25
Graph 5.6.7	1997 PM10 24-Hour Maximums	26
Table 5.6.7	Sulfur Dioxide Maximums and Annual Means (1992 - 1997)	27
Graph 5.6.8	Sulfur Dioxide Annual Means (1992 - 1997)	28
Graph 5.6.9	Sulfur Dioxide Maximum 24-Hour Averages (1992 - 1997)	29
Graph 5.6.10	Sulfur Dioxide Maximum 3-Hour Averages (1992 - 1997)	30
Table 8.1	Source and Number of Permits Issued.	34

List of Acronyms and Symbols

CO carbon monoxide

EPA Environmental Protection Agency NAMS National Air Monitoring Station

NO_x oxides of nitrogen

 O_3 ozone Pb lead

PM10 particulate matter of size 10 microns or less in diameter

ppm parts per million

SLAMS State and Local Air Monitoring Station SMOPs synthetic minor operating permits

SO₂ sulfur dioxide

 $\begin{array}{ll} SPM & Special \, Purpose \, Monitoring \\ TSP & total \, suspended \, particulates \\ \mu g/m^3 & micrograms \, per \, cubic \, meter \\ VOCs & volatile \, organic \, compounds \end{array}$

Executive Summary

The uniform air quality index was created for use as a standard measure of overall air quality. It is a national index that was designed to meet the needs of all citizens. The daily index report is based on the uniform pollutants' standards index structure that includes the pollutants for which primary short term National Ambient Air Quality Standards have been established. These pollutants are: particulate matter (PM10), sulfur dioxide (SO_2) , carbon monoxide (CO), and ozone (O_3) (see Table 2.1).

The ambient concentration of each pollutant is scaled on a range from zero (0) to five hundred (500) with one hundred corresponding to the National Ambient Air Quality Standard, or level at which the pollutant is considered unhealthful, and five hundred corresponding to the significant harm level. The intermediate range breakpoints of 200, 300 and 400 represent increasing measures toward the significant harm level.

The air quality index is available daily, Monday through Friday, by dialing (205) 933-0583. The following table summarizes the measurements of overall air quality in Jefferson County for 1997:

Air Quality Description Number of Days* Good (1 - 50) 160 Moderate (51 - 100) 87 Unhealthy (101 - 200) 2 Very Unhealthy (201 - 300) 0 Hazardous (301 or above) 0

Total Number of Days

249

There was 1 day on which an exceedance of the ambient air quality standards occurred in 1997 at National Air Monitoring Stations (NAMS) and State and Local Air Monitoring Stations (SLAMS). The maximum index reported was 119 and occurred September 19. Overall, the average index was 44.

^{*}The air quality index is developed Monday through Friday. Therefore, the table above does not include every measurement recorded during the year.

1.0 Introduction

The Jefferson County Department of Health operates an air pollution control program with its goal being to ensure that citizens of Jefferson County have access to air which meets the health standards as established by the Environmental Protection Agency (EPA). A significant portion of the air pollution resources is devoted to monitoring pollutant levels in the ambient air (that portion of the atmosphere to which the general public has access). Also, the information received from the monitoring network about pollutant levels is used as the basis for developing any control strategies necessary to ensure that health standards are attained and maintained.

2.0 Ambient Air Quality Standards

The Environmental Protection Agency (EPA) has established two national ambient air quality standards: primary and secondary. The primary standards are designed to protect public health with an adequate margin of safety. The secondary standards are designed to protect public welfare related values such as property, materials, plants and animal life. The Air Pollution Control Program of Jefferson County utilizes the standards established by the EPA. Those standards are:

Table 2.1

National Ambient Air Quality Standards

Standard (mean levels)

D. II44	Sumum	(1110411 10 (015)			
Pollutant and time period*	Primary	Secondary			
PM10 (Inhalable particulates)					
(Micrograms per cubic meter)					
Annual mean level	50	50			
24-hour average	150	150			
Sulfur dioxide					
(Parts per million)					
Annual mean level	0.03				
24-hour average	0.14				
3-hour average		0.5			
Nitrogen dioxide					
(Parts per million)					
Annual mean level	0.053	0.053			
Carbon monoxide					
(Parts per million)					
8-hour average	9	None			
1-hour average	35	None			
Ozone					
(Parts per million)					
1-hour average	0.12	0.12			
8-hour average**	0.08	0.08			
Lead					
(Micrograms per cubic meter)					
3-month mean level	1.5	1.5			

^{*}Short-term standards (24-hour and less) are not to be exceeded more than once a year. Long-term standards are maximum permissible mean-level concentrations that are never to be exceeded.

**Primary and secondary 8-hour ozone standards were promulgated and published in the Federal Register on July 18, 1997.

3.0 Monitoring Network Types

Data provided through a complex network of air monitoring stations located throughout Jefferson County determine the quality of the ambient air in the County. In January 1997, this network consisted of 16 monitoring sites and 23 air monitoring devices. There were modifications to the network during the course of the year: 2 sites were closed and 4 monitors were shut-down. By December 31, the network consisted of 14 sites and 19 monitors. See Table 3.1. The air pollutants monitored at these sites were: ozone (O₃), carbon monoxide (CO), sulfur dioxide (SO₂), PM10 (particulates 10 microns and less in size), and lead (Pb). Nitrogen dioxide is not monitored because the county population is less than one million, and monitoring is therefore not required. Each air monitoring device was classified as one of the following: State and Local Air Monitoring Station (SLAMS), National Air Monitoring Station (NAMS), or Special Purpose Monitoring (SPM) based on the general monitoring objectives.

The objective of the SLAMS network is to collect data that provide an overview of the state's air quality used in the development of statewide control strategies.

The primary objective of the NAMS network is to monitor in areas where the pollutant concentration levels and population exposures are likely to be high. EPA uses the data to develop nationwide control strategies.

The objective of the SPM network is to provide data for the development and refinement of local control strategies. The data also verify maintenance of air standards in areas not monitored by either the SLAMS or NAMS networks.

Table 3.1

Jefferson County 1997 Air Monitoring Network

January 1, 1997 Network

		Monitoring	Objective	
Site Location	Pollutants	SLAMS	NAMS	SPM
Bessemer	PM10	1	0	0
Dolomite	PM10	0	0	1
East Thomas (Pb closed 1/17/97)	CO, Pb	0	2	0
Fairfield	CO, O3, PM10, SO2	1	2	1
Hoover	O3	1	0	0
Inglenook (PM10 closed 3/3/97)	PM10	1	0	0
Leeds, Elementary School	PM10	1	0	0
McAdory High School	O3	1	0	0
North Birmingham, Sloss	CO ,PM10	0	0	2
North Birmingham, Southern Railroad (CO closed	CO, PM10	0	1	1
3/1/97)				
Northside School	PM10	1	0	0
Pinson High School	O3	0	1	0
Tarrant ABC Coke	PM10	0	0	1
Tarrant, Elementary School	PM10, O3	1	1	0
UAB (CO closed 4/1/97)	CO	1	0	0
Wylam	PM10	0	1	0

December 31, 1997 Network

Objective	
NAMS	SPM
0	0
0	1
1	0
2	1
0	0
0	0
0	0
0	2
1	0
0	0
1	0
0	1
1	0
1	0
	NAMS 0 0 1 2 0 0 0 0

4.0 Description of Pollutants

4.1 Carbon Monoxide

Carbon monoxide (CO) is a colorless, odorless and tasteless gas. It is emitted into the atmosphere by both natural and man-made sources. Globally, total emissions of CO are greater than emissions of any other air pollutant, due to the widespread extent of low-level emissions from natural sources.

The major natural source of CO is the spontaneous oxidation of naturally occurring methane. Other natural sources include the oceans, plant growth and decay, terpene oxidation, and forest fires. Globally, natural sources account for nearly 90 percent of CO emissions.

The major man-made source of CO is the incomplete combustion of carbon-based fuels. Gasoline motor vehicles--primarily automobiles and light duty trucks--are the most common source. Other sources include industrial process losses, open burning and industrial or utility boilers.

CO poses a threat to human health because of its ability to react with hemoglobin that carries oxygen to cell tissue. Hemoglobin preferentially absorbs CO, thus reducing the amount of oxygen transported throughout the body. Most people will experience symptoms including dizziness and headaches when exposed to high levels of CO. Eliminating exposure causes blood to return to normal levels of oxygen.

4.2 Lead

Lead is a toxic metal that comes from natural and man-made sources and is also relatively abundant. Typically, lead ingestion is attributed to four components of the human environment: food, inhaled air, dusts of various types, and drinking water.

Calculations of natural contributions using geochemical information indicate that natural sources contribute a relatively small amount of lead to the atmosphere. Natural sources include soil erosion by wind, volcanic dust, forest fires, sea salt, and the decay of radon gas.

The major sources of man-made lead emissions to the ambient air include smelting operations and lead mining. Other sources include coal-fired power plants, lead battery manufacturing, and municipal solid waste incineration. Leaded gasoline has been phased-out and is not a major source.

Lead absorption poses a threat to human health because of its accumulative properties. High concentration of lead in the bloodstream of children causes severe and permanent neurological damage or death. Some lead-containing chemicals have been shown to cause cancer in animals.

4.3 Ozone

Ozone is a highly reactive oxidant gas with a pungent odor and a faint bluish color. Ozone is photochemically produced in the atmosphere when volatile organic compounds (VOCs) combine with oxides of nitrogen (NOx) and carbon monoxide (CO) in the presence of sunlight. In the lower atmosphere, ozone is the predominant component of photochemical smog and is most likely to reach high concentration levels on hot, dry, summer days when sunlight is intense and wind movement is low.

In urban areas, man-made emissions of nitrogen oxides and VOCs lead to the formation of ozone in the lower atmosphere. Nitrogen oxides are primarily emitted from combustion sources such as motor vehicles and boilers. Primary sources of VOCs include motor vehicle exhaust, gasoline evaporation from storage facilities or tanker trucks, paint, and industrial use of solvents or coatings.

Ozone is a pulmonary irritant. Symptoms include irritation of the eyes, nose, throat and lungs as well as reduced lung function, asthma, stuffy nose, reduced resistance to colds and other infections. Ozone also damages plants, trees, rubber and fabrics.

Currently, the Jefferson and Shelby County area is considered marginally nonattainment for ozone. This means that the area is out of compliance with Federal standards. An Ozone Awareness Program has been underway in Jefferson and Shelby Counties since May 1996 to educate citizens about the health and economic effects of being ozone nonattainment. In addition, the program is designed to encourage citizens to take voluntary actions to help decrease ozone levels.

The EPA promulgated new 8-hour primary and secondary standards for ozone on July 18, 1997. Until Jefferson and Shelby Counties reach attainment for the 1-hour ozone standard, the area will continue to function under the 1-hour standard, but will still monitor for 8-hour ozone.

4.4 Particulates

Particulate matter consists of airborne solid particles ranging from about 0.001 to 500 micrometers in diameter. Particulate matter includes: dust, soot and other tiny bits of solid materials released into and moving around in the air. PM10 consists of particles less than or equal to 10 micrometers in diameter and is the basis for the ambient air quality standard. Dustfall is particles larger than 10 micrometers. PM2.5 consists of particles less than or equal to 2.5 micrometers in diameter. Total suspended particulate (TSP) is a measure of the total airborne particles in the air. PM10 and PM2.5 are both subsets of the total airborne particles in the air.

Particulate matter has many sources including: burning of diesel fuels by trucks, buses and other diesel engines; incineration of garbage; mixing and application of fertilizers and pesticides; road construction; vehicular tire wear and exhaust; operation of fireplaces and wood stoves; and industrial processes (such as steel making and mining operations).

Exposure to high concentrations of particulate pollution (PM10) causes eye, nose and throat irritation, aggravation of chronic lung disease, and symptoms of heart and respiratory problems. Particulates are the main source of haze that reduces visibility.

The EPA promulgated new primary and secondary standards for PM2.5 on July 18, 1997. Monitoring for PM2.5 is scheduled to begin on January 1, 1999.

4.5 Sulfur Dioxide

Sulfur dioxide is a colorless, nonflammable gas formed during combustion of sulfur-containing fuels such as coal and oil. Partly converted by photochemical and catalytic reactions in the atmosphere, sulfur dioxide becomes sulfur trioxide, sulfuric acid, and various sulfate particles that can also have adverse health and welfare effects.

Globally, man-made emissions account for one-third of the total emissions of sulfur compounds in the atmosphere. Of the natural emissions, most are hydrogen sulfide released from the decay of organic matter or sulfate particles released in the sea spray. The combustion of sulfur-containing coal and oil in utility and industrial boilers is the major man-made source of sulfur dioxide emissions.

Sulfur dioxide is an irritant to the pulmonary system, primarily affecting the upper respiratory system. Damage to lungs occurs with deep inhalation of particles absorbing sulfur dioxide. Sulfur dioxide plays an important role in the production of acid rain (acid aerosols), which damages trees and lakes. Acid aerosols also erode stone used in buildings, statues, and monuments.

5.0 Monitoring Results

5.1 Carbon Monoxide

In January of 1997, the carbon monoxide monitoring network consisted of 5 monitors (1 SLAMS, 2 NAMS and 2 SPM) strategically located throughout Jefferson County. See Table 3.1. The North Birmingham SPM was closed on March 1, 1997 and the UAB Lane Technical Center monitor and site was closed on April 1, 1997. Carbon monoxide was the responsible pollutant 27 times in the daily air quality index. Of those 27 days, 25 days were in the good category and 2 days were in the moderate category. The maximum 1-hour CO concentration at monitoring sites during the year generally measured less than 26.6 ppm, which is 76 percent of the 35 ppm 1-hour ambient standard. Maximum 8-hour CO concentrations at monitoring sites during the year generally measured below the 8-hour standard of 9 ppm (see Table 5.6.1 and Graphs 5.6.1 and 5.6.2). However, two exceedances of the 8-hour CO ambient standards were recorded during the year at the North Birmingham, Sloss SPM site. No exceedances were recorded at NAMS or SLAMS sites.

5.2 Lead

In January of 1997, the lead monitoring network consisted of 1 monitor (1 NAMS) located at the East Thomas site in Jefferson County. See Table 3.1. This monitor supported the mobile source requirement and was shut down as of January 17, 1997 because ambient lead concentrations consistently measured below deminimus values since lead had been removed from gasoline. See Table 5.6.2 and Graph 5.6.3.

5.3 Ozone

In January of 1997, the ozone monitoring network consisted of 5 monitors (3 SLAMS and 2 NAMS) strategically located throughout Jefferson County. The ozone monitors operated from April 1 to October 31 according to EPA regulations. No changes to the network occurred during the year. Ozone was the responsible pollutant 118 times in the daily air quality index. One exceedance of the 0.12 ppm ambient standard was recorded on September 18, 1997 at the Pinson monitoring site (see Table 5.6.3 and Graph 5.6.4). The ozone standard is attained when the expected number of days per calendar year with maximum hourly average concentrations above 0.12 ppm is less than or equal to one. An area is classified as attainment when the average number of days over a three-year period, with an hourly concentration above the standard, is one or less at each monitoring site. Jefferson and Shelby counties are currently classified as a marginal nonattainment area for ozone. Table 5.6.5 depicts the current status of ozone nonattainment.

5.4 Particulate Matter

In January of 1997, the particulate matter (PM10) monitoring network consisted of 11 monitors (5 SLAMS, 2 NAMS and 4 SPM) strategically located throughout Jefferson County (see Table 3.1). On March 3, 1997 the Inglemook monitor was shut down. PM10 was the responsible pollutant 103 times in the daily air quality index. Of those 103 days, 77 days were in the good category, and 26 days were in the moderate category. The maximum 24-hour PM10 concentration at monitoring sites during the year generally measured less than the 24-hour ambient standard of 150 μ g/m³. The maximum annual mean concentration at monitoring sites during the year generally measured less than 45 μ g/m³, which is 90 percent of the 50 μ g/m³ annual mean standard (see Table 5.6.6 and Graphs 5.6.6 and 5.6.7). Four exceedances of the PM10 24-hour standard were recorded at SPM sites during the year. No exceedances were recorded at NAMS or SLAMS sites.

5.5 Sulfur Dioxide

In January of 1997, the sulfur dioxide (SO_2) monitoring network consisted of 1 monitor (1 NAMS) located in Fairfield. SO_2 was the responsible pollutant one time in the daily air quality index and was in the good category. The maximum 24-hour SO_2 concentration at the monitoring site during the year generally measured less than 0.02 ppm, which is 14 percent of the 0.14 ppm 24-hour ambient standard. The maximum SO_2 annual mean concentration at the monitoring site during the year generally measured less than 0.006 ppm, which is 20 percent of the 0.03 ppm annual mean standard. The maximum 3-hour SO_2 concentration at monitoring the site during the year generally measured less than 0.08 ppm which is 16 percent of the 0.5 parts per million 3-hour ambient standard (see Table 5.6.7 and Graphs 5.6.8, 5.6.9 and 5.6.10). No exceedances of the SO_2 ambient standards were recorded during the year. Due to the low SO_2 emission levels from industrial sources in the vicinity of the Fairfield monitoring site, the Health Department has requested that this monitor be relocated to an alternative site. The Department is currently awaiting approval to relocate this site.

5.6 Tables and Figures

Table 5.6.1

Carbon Monoxide Maximum Values

1992 – 1997

			Ye	ar		
Site	1992	1993	1994	1995	1996	1997
Downtown						
1-hour max.	11.7	12.5	14.0	10.0	6.1	Closed
8-hour max.	5.6	6.2	6.9	6.2	4.5	6/16/96
East Birmingham						
1-hour max.	8.0	8.2	Closed			
8-hour max.	6.0	5.2	7/8/93			
East Thomas						
1-hour max.	10.1	10.8	10.2	9.6	7.5	7.7
8-hour max.	8.6	7.8	6.7	7.0	5.8	7.1
Fairfield						
1-hour max.	12.4	9.3	9.2	11.1	12.3	10.2
8-hour max.	7.5	7.3	7.7	7.2	5.3	6.0
UAB^1						
1-hour max.	11.3	12.2	11.0	12.4	7.8	8.2
8-hour max.	6.2	6.2	7.2	6.7	6.2	4.4
N Bham, So. RR ²						
1-hour max.			Opened	18.8	4.8	6.3
8-hour max.			10/27/94	6.5	3.5	4.1
N Bham, Sloss						
1-hour max.				Opened	18.8	26.6
8-hour max.				9/25/96	12.2	13.1
1						

Values measured in parts per million (ppm). Ambient air exceedances are in bold characters.


¹UAB CO shut down 4/1/97.

²North Bham, So. RR CO shut down 3/1/97.

Graph 5.6.1

Carbon Monoxide Maximum 1-Hour Averages

1992-1997



Graph 5.6.2

Carbon Monoxide Maximum 8-Hour Averages

1992 - 1997




Table 5.6.2

Lead Quarterly Mean Values
1992 - 1997

Monitor Location	Year 1992	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter
Hayes Int'l		0.84	0.29	0.14	0.15
East Birmingham		0.08	0.09	0.1	0.12
East Thomas		0.08	0.08	0.06	0.05
Ilco Pasture		0.28	0.07	0.05	0.07
Leeds Elementary	(Closed 7/1/92)	0.09	0.06		
Montgomery Oil		1.15	0.41	0.18	0.39
New Jerusalem Church	(Closed 7/1/92)	0.35	0.04		
Monitor Location	Year 1993	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter
Hayes Int'l	(Closed 3/31/93)	0.09		C	(
East Birmingham	(0100000010170)	0.08	0.06	0.04	0.08
East Thomas		0.06	0.04	0.01	0.07
Ilco Pasture	(Closed 3/31/93)	0.18	0.01	0.01	0.07
Montgomery Oil	(========	0.28	0.3	0.04	0.1
Monitor Location	Year 1994	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter
East Birmingham	(Closed 3/31/94)	0.11	Ziiu Quai tei	31 d Quai tei	4tii Quai tei
East Thomas	(Closed 3/31/94)	0.11	0.07	0.05	0.06
Montgomery Oil		0.07	0.07	0.03	0.00
Monigomery On		0.07	0.09	0.09	0.11
Monitor Location	Year 1995	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter
East Thomas		0.06	0.06	0.06	0.09
Montgomery Oil	(Closed 1/1/96)	0.05	0.05	0.06	0.07
Monitor Location	Year 1996	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter
East Thomas		0.07	0.04	0.08	0.13
Monitor Location East Thomas	Year 1997 (Closed 1/17/97)	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter
Values measured in mi	` ,	$motor(\mu g/m^3)$			

Values measured in micrograms per cubic meter ($\mu g/m^3$).

Graph 5.6.3

Lead Quarterly Mean Values 1992 - 1996




Table 5.6.3

Ozone Maximum 1-Hour Averages

1992 – 1997

Year

		1992	1993	1994	1995	1996	1997
Fairfield	1.	0.119	0.120	0.109	0.120	0.117	0.110
	2.	0.113	0.111	0.098	0.119	0.117	0.110
	3.	0.112	0.108	0.093	0.117	0.116	0.109
	4.	0.107	0.104	0.090	0.113	0.113	0.101
Tarrant	1.	0.129	0.112	0.079	0.142	0.126	0.115
	2.	0.115	0.108	0.079	0.127	0.117	0.113
	3.	0.096	0.103	0.078	0.123	0.112	0.113
	4.	0.095	0.095	0.076	0.114	0.107	0.103
Pinson	1.	0.138	0.115	0.099	0.118	0.131	0.135
1 1115011	2.	0.111	0.098	0.090	0.115	0.126	0.122
	3.	0.111	0.098	0.090	0.113	0.114	0.100
	4.	0.104	0.093	0.090	0.107	0.101	0.091
McAdory	1.	0.104	0.106	0.107	0.153	0.144	0.101
wieridory	2.	0.101	0.104	0.099	0.132	0.138	0.096
	3.	0.101	0.104	0.098	0.132	0.130	0.094
	4.	0.089	0.101	0.096	0.127	0.110	0.093
		0.10.5		0.44.5			0.404
Hoover	1.	0.106	0.135	0.116	0.125	0.143	0.106
	2.	0.091	0.113	0.108	0.125	0.141	0.103
	3.	0.088	0.113	0.099	0.125	0.123	0.103
	4.	0.087	0.110	0.096	0.124	0.114	0.103

Ambient air exceedances are in bold characters.

Values measured in ppm.

Table 5.6.4


Ozone Maximum 8-Hour Averages

1997

		Year
		1997
Fairfield	1. 2. 3. 4.	0.095 0.094 0.089 0.086
Tarrant	1. 2. 3. 4.	0.101 0.094 0.090 0.088
Pinson	1. 2. 3. 4.	0.108 0.099 0.086 0.078
McAdory	1. 2. 3. 4.	0.088 0.087 0.086 0.080
Hoover	1. 2. 3. 4.	0.092 0.091 0.084 0.084

An exceedance of the standard occurs when the 4^{th} maximum value recorded during the year is greater than or equal to 0.085 ppm. These ambient air exceedances are in bold characters. Compliance with the 8-hour ozone standard will be determined by averaging the 4^{th} highest 8-hour ozone value at each site over a 3-year period. Values measured in ppm.

Graph 5.6.4



Ozone 4th Maximum 8-Hour Averages 1997

Graph 5.6.5




Table 5.6.5

The following table is a review of the current status of ozone nonattainment. Based upon three years of collected data, the last column indicates the number of possible 1-hour exceedances allowed in 1998. If there are no more exceedances at the respective monitors than the number shown, the Birmingham area can expect to reach attainment of the one-hour standard. Upon redesignation to attainment the area will be subject to the the new 8-hour ozone standard published in the Federal Register on July 18, 1997.

Exceedances of the Birmingham Ozone Nonattainment Area 1996 - 1997

Monitoring Station	1996	1997	# Exceedances Allowed in 1998
Fairfield	0	0	3
Pinson	2	1	0
Tarrant	1	0	2
McAdory	2	0	1
Hoover	2	0	1
Helena	2	0	1
Total	9	1	8

Table 5.6.6 Particulate Matter (PM10) Maximums

1992 - 1997

		13	774 - 1771	Year		
	1992	1993	1994	1995	1996	1997
Bessemer (m)						
Annual Mean	28	28	25	27	25	26
24-hour Averages						
1st Max	53	75	69	58	53	70
2nd Max	52	58	50	56	43	62
Dolomite (c)						
Annual Mean			35	36	33	33
24-hour Averages						
1st Max			109	118	125	104
2nd Max			107	109	106	92
Inglenook (m)						
Annual Mean	29	27	25	24	25	Closed 3/3/97
24-hour Averages						
1st Max	54	73	50	57	57	24
2nd Max	52	62	47	57	51	20
Leeds Elementary School (m) Annual Mean	28	25	24	25	24	23
24-hour Averages	28	25	24	23	24	23
1st Max	54	67	56	63	54	54
2nd Max	52	61	48	50	41	52
North Birmingham, So. RR (c)						
Annual Mean 24-hour Averages	39	36	34	34	34	35
1st Max	142	98	108	123	106	113
2nd Max	122	85	104	95	100	111

Particulate Matter (PM10) Maximums (continued)

1992 - 1997

Year


	1992	1993	1994	1995	1996	1997
Northside (m)						
Annual Mean	31	29	27	28	26	30
24-hour Averages	31	2)	27	20	20	30
1st Max	69	69	69	52	56	111
2nd Max	66	69	58	52	53	74
T						
Tarrant Annual Mean	30	27	26	28	25	25
	30	21	20	28	23	23
24-hour Averages 1st Max	60	72	52	58	58	67
2nd Max	55	58	50	57	36 46	59
ZIIU IVIAX	33	36	30	31	40	39
Wylam (c)						
Annual Mean	32	31	30	31	30	31
24-hour Averages						
1st Max	108	81	116	145 E	109	108
2nd Max	92	76	83	83	83	95
Fairfield (m)						
Annual Mean				27	26	29
24-hour Averages				2,	20	
1st Max				54	67	64
2nd Max				54	46	61
North						
Birmingham, Sloss (c)						
Annual Mean					46	45
24-hour Averages					40	43
1st Max					188	120
2nd Max					1 88 139	111
ZIIU IVIAX					139	111
Tarrant ABC						
Annual Mean					47	38
24-hour Averages						
1st Max					282	176
2nd Max					198	162

Values measured in $\mu g/m^3.$ (c)- continuous monitor; (m) - manual monitor; E - Exceptional event data (forest fire). Ambient air exceedances are in bold characters.

Graph 5.6.6

PM10 Annual Means

1992 - 1997



Graph 5.6.7

1997 PM10 24-Hour Maximums




Table 5.6.7 **Sulfur Dioxide Maximums and Annual Means**1992 - 1997


Leeds Sunset View	1992	1993	1994			
Apts.						
Annual Mean	0.01	0.01	closed 1/27/94			
24-hour Averages						
1st Max	0.05	0.02				
2nd Max	0.03	0.02				
3-hour Averages						
1st Max	0.16	0.062				
2nd Max	0.15	0.061				
Fairfield	1992	1993	1994	1995	1996	1997
Annual Mean	0.01	0.01	0.01	0.01	< 0.01	< 0.01
24-hour Averages						
1st Max	0.04	0.05	0.05	0.02	0.02	0.02
2nd Max	0.03	0.05	0.04	0.02	0.02	0.02
3-hour Averages						
1st Max	0.10	0.08	0.08	0.05	0.06	0.08
2nd Max	0.09	0.08	0.08	0.04	0.04	0.07
Leeds Lehigh Cement Plant (closed 12/31/95)	1992	1993	1994	1995		
Annual Mean		***	0.01	0.01		
24-hour Averages						
1st Max		*0.02	0.02	0.02		
2nd Max		*0.02	0.02	0.01		
3-hour Averages						
1st Max		*0.05	0.07	0.04		
2nd Max		*0.04	0.07	0.03		
Values measured in ppm. *Based on 7 months of data. *** Insufficient number of samples	ı .					

27

Graph 5.6.8

Sulfur Dioxide Annual Means


1992 - 1997



Graph 5.6.9

Sulfur Dioxide Maximum 24-Hour Averages


1992 - 1997



Graph 5.6.10

Sulfur Dioxide Maximum 3-Hour Averages

1992 - 1997



6.0 Exceedances of the Ambient Air Quality Standards

An exceedance of an ambient standard is the occurrence of a pollutant concentration that is greater than the numerical value of the standard for a period of time equal to the averaging time specified by the standard (see Table 2.1). A violation of an ambient standard, at a single monitor, is the occurrence of more exceedances of the numerical value of the standard than is allowed within a specified period of time. An excludable exceedance is one that occurred as a result of an unusual natural or man-made event such as a severe drought, wildfire, tornado, structural fire, or temporary construction project near a monitor. The question of whether or not an exceedance will be excluded arises in determining the attainment status of an area. It is not a question of whether or not the exceedance occurred, but rather, of what it represents. An exceedance can only be excluded after consultation with the Alabama Department of Environmental Management (ADEM) and EPA.

Ozone measurements exceeded the one-hour ambient standard on one day in 1997 at a NAMS site. Particulate Matter measurements exceeded the 24-hour ambient standard on four separate days in 1997 at SPM sites. Carbon monoxide measurements exceeded the 8-hour standard on two separate days in 1997 at SPM sites. Measurements for sulfur dioxide and lead did not exceed ambient standards during 1997.

7.0 Field Enforcement Activities

7.1 Industrial and Commercial Facilities

7.1.1 Inspections

All air pollution sources are subject to regular field patrol observations by Environmental Health Specialists (EHS) and air pollution control engineers. Minor and Synthetic Minor air pollution sources receive a comprehensive inspection by the assigned EHS or air pollution control engineer on a biennial basis. Major air pollution sources are inspected annually by the air pollution control engineer or EHS assigned to that facility. The inspection includes a review of relevant records and a walk-through of the facility, accompanied by the facility's environmental contact, to check emissions from each source and to ascertain the condition and performance of each control device. A meeting with facility personnel follows the conclusion of the inspection to discuss any problems observed and to establish remedial action if required. The air pollution control engineer or EHS prepares a comprehensive inspection report that is stored in the facility file maintained by the Air Pollution Control Program. Emissions for all sources are calculated annually. During 1997, there were 2191 field patrol observations of commercial and industrial facilities, 227 visible emission evaluations, 237 inspections, and 5 Notices of Violation issued.

7.1.2 Incinerators

General waste incinerators receive a comprehensive inspection by Field Services EHSs biennially. Examination of the unit determines if all burners function properly and if the unit received proper maintenance. Visible emission evaluations during unit operations determine compliance with the visible emission standard. Units with complaints, or those with recent violations documented, receive more frequent inspections. Due to the concern for the potential release of pathogens and hydrochloric acid, the emission limits for medical waste incinerators are more restrictive and the units receive annual inspections. During 1997, there were 69 field patrol observations of incinerators, 5 visible emission evaluations, 11 inspections, and 1 Notice of Violation issued.

7.2 Open Burning

Due to smoke nuisance, as well as particulate and volatile organic compound (VOC) emissions, Jefferson County regulates open burning. Generally, open burning is prohibited except under specific circumstances allowed by the regulations. All open burning for construction and right-of-way clearing was prohibited during the months of June, July and August of 1997. The issuing of open burning authorizations for land clearing operations requires a site evaluation by a Field Services EHS to determine if the material and the circumstances meet regulation requirements, and to set distance restrictions for the burning site. The Air Pollution Control Program issued 376 open burning authorizations in 1997.

Field Service EHSs also investigate complaints regarding open burning. An Advisory Notice or Official Notice of Violation is issued if the investigation determines a violation of the regulations. Enforcement of the open burning regulations has increased through routine assessment of penalties against repeat violators. In 1997, 461 open burning complaints were investigated, 38 Advisory Notices issued, and 83 Notices of Violation written.

7.3 Other Programs

7.3.1 Gasoline Dispensing Facilities and Tanker Trucks

The Air Pollution Control Program regulates gasoline dispensing facilities and tanker trucks due to emissions of volatile organic compounds (VOCs). Gasoline dispensing facilities must have and use Stage I Vapor Balance equipment while filling storage tanks. Gasoline tanker trucks are required to recover gasoline vapors while filling or emptying the truck vessels. Gasoline tanker trucks must certify vapor tightness annually and display an Air Sticker issued annually by the Air Pollution Control Program. There were 531 Air Stickers issued in 1997. During 1997, there were 81 field patrol observations of gasoline dispensing facilities and tanker trucks. There were no Notices of Violation issued in 1997.

7.3.2 Asbestos Abatement

The Air Pollution Control Program enforces the National Emission Standard for Asbestos during renovation and demolition operations. During 1997, there were 366 regulated asbestos abatement or demolition notifications received and reviewed (of which 307 were subject to Federal asbestos standards), 62 inspections, 14 complaints investigated, and 6 Notices of Violation issued.

7.3.3 Indoor Air Quality

The Air Pollution Control Program acts as an information and referral resource regarding indoor air quality problems. Indoor air quality complaints in public buildings are investigated to a limited degree. Owners are often referred to resources for more complex investigations or solutions. Individuals complaining about residential indoor air quality problems are referred to resources for additional information. The Air Pollution Control Program has no regulations or enforcement policies regarding indoor air quality at this time. Complainants may be referred to other agencies, like the Occupational Health and Safety Administration, if appropriate. During 1997, there were 51 indoor air complaints investigated and 50 responses made to inquiries.

7.3.4 Dry Cleaners

There are 73 dry cleaning facilities in Jefferson County that are subject to The National Perchloroethylene (Perc) Air Emission Standards for Dry Cleaning Facilities, 40 CFR 63, Subpart M. Of these subject facilities, 38 have been identified as small facilities, 35 as large facilities, and there have been no facilities identified as major sources. The Jefferson County Department of Health's air program plans to inspect all of the subject facilities during FY 98.

8.0 Air Pollution Source Permitting

Permit applications must be submitted prior to the construction of new sources that have the potential to emit air pollutants and before the modification of existing air pollution sources. The type of emission source determines the information required in the application. The Engineering Section evaluates the degree of air pollution control required for all emission points within each facility. Using established emission factors to assure allowable air emission standards, calculations are made to determine the estimated emissions for the proposed source. In 1997, air permits were issued for 155 new or modified sources. The Air Pollution Control Program continues to issue Title V Major Source Operating Permits under Chapter 18 of the Jefferson County Board of Health Air Pollution Control Rules and Regulations. Qualified sources may apply for and receive a Synthetic Minor Operating Permit under Chapter 17 of the Regulations. Minor Sources receive Air Permits under Chapter 2 of the Regulations.

Table 8.1

Source Type	Number of Permits Issued
Industrial/Commercial	53
Gasoline Tanker Trucks	85
Gasoline Dispensing Facilities	10
Incinerators	2
UST Soil Remediation	5
Total	155

Source of Permits Issued Title V Major Synthetic Minor 19 Minor 128



Jefferson County Department of Health Environmental Health Services Air and Solid Waste Division 1400 Sixth Avenue South

Birmingham, Alabama 35233