

**Jefferson County Department of Health**  
**AVAILABILITY FOR REVIEW**  
**THE 2024 ANNUAL AMBIENT AIR MONITORING PLAN**  
**[AMENDED]**

Pursuant to 40 CFR 58.10, the Jefferson County Department of Health (JCDH) has prepared the Annual Ambient Air Monitoring Plan for 2024. This plan covers ambient air monitoring activities performed by JCDH.

Beginning May 29, 2024, the plan is available for public inspection electronically at <https://www.jcdh.org/SitePages/Misc/PdfViewer?AdminUploadId=4729>. A nominal fee for copying and/or mailing may be charged. Arrangements for copying should be made in advance. Comments will be received by JCDH until 4:30pm on June 28, 2024.

Request for copies or comments on the plan should be directed to:

**Jason Howanitz**  
**Principal Air Pollution Control Engineer**  
**Air and Radiation Protection Program**  
**Jefferson County Department of Health**  
**1400 Sixth Avenue South**  
**Birmingham, Alabama 35233**  
or by e-mail at [jason.howanitz@jcdh.org](mailto:jason.howanitz@jcdh.org)

# **Jefferson County Department of Health**



**2024**

## **Annual Ambient Air Monitoring Network Plan**

**Environmental Health Services  
Air and Radiation Protection Division  
1400 Sixth Avenue South  
Birmingham, AL 35233**

## Table of Contents

1.0	Background.....	1
2.0	Overview.....	1
3.0	Types of Monitoring Stations .....	2
4.0	Proposed Changes for 2025 .....	3
5.0	Monitoring Site Discussion.....	3
6.0	Monitoring Site Location Coordinates.....	6
7.0	Monitoring Network Assessment.....	7
	Appendix A: Monitoring Site Pictures and Maps .....	9
	Appendix B: Inventory of Monitoring Equipment.....	22

DRAFT

## Acronyms

Appendix D	Volume 40, Code of Federal Regulations, Part 58, Appendix D
AQI	Air Quality Index
AQS	Air Quality System
CASTNET	Clean Air Status and Trends Network
CBSA	Core Based Statistical Area
CFR	Code of Federal Regulations
CO	Carbon Monoxide
CSA	Combined Statistical Area
EJ	Environmental Justice
FEM	Federal Equivalent Method
FRM	Federal Reference Method
JCDH	Jefferson County Department of Health
MSA	Metropolitan Statistical Area
μSA	Micropolitan Statistical Areas
NAAQS	National Ambient Air Quality Standards
NCore	National Core Multipollutant Monitoring Station
NO <sub>x</sub>	Oxides of Nitrogen
NO <sub>y</sub>	Total Reactive Nitrogen
NO <sub>2</sub>	Nitrogen Dioxide
O <sub>3</sub>	Ozone
PAMS	Photochemical Assessment Monitoring Station
PM	Particulate matter
PM <sub>2.5</sub>	Particulate matter 2.5 micrometers in diameter or less
PM <sub>10</sub>	Particulate matter 10 micrometers in diameter or less
PM <sub>10-2.5</sub>	Particulate matter with a diameter between 2.5 and 10 micrometers
QAPP	Quality Assurance Project Plan
QMP	Quality Management Plan
SLAMS	State or Local Air Monitoring Station
SO <sub>2</sub>	Sulfur Dioxide
SPM	Special Purpose Monitor
STN	Speciation Trends Network
USEPA	United States Environmental Protection Agency
VOCs	Volatile Organic Compounds

## 1.0 Background

Federal Regulations (40 CFR 58.10) require that State and Local Agencies operating an ambient air quality monitoring network shall review their air quality monitoring network on an annual basis. Any needed modifications to the network should be identified. A detailed monitoring network description should also be included. In addition, the plan shall be available for public comment. The Jefferson County Department of Health's (JCDH) Ambient Air Monitoring Network Plan is available on the JCDH website at: <https://www.jcdh.org/SitePages/Programs-Services/Scores-Lists/Air/AirPollutionControl.aspx?AQTab=Notices>

JCDH's Ambient Air Monitoring Network Plan was placed on the website on May 2024 for a 30-day public review and comment period.

The Monitoring Network review that is specified in *40 CFR 58.10* contains the following elements that apply to each monitoring site:

- The USEPA Air Quality System (AQS) site identification number.
- The location, including street address and geographical coordinates.
- The sampling and analysis method(s) for each measured parameter.
- The operating schedules for each monitor.
- Any proposals to remove or move a monitoring station within a period of 18 months following plan submittal.
- The monitoring objective and spatial scale of representativeness for each monitor as defined in Appendix D of Part 58.
- The identification of any sites that are suitable and sites that are not suitable for comparison against the annual PM<sub>2.5</sub> and Ozone National Ambient Air Quality Standards (NAAQS) as described in part 58.30.
- The MSA, CBSA, CSA or other area represented by the monitor.
- The annual monitoring network plans and or periodic network assessments are subject to Regional approval according to part 58.14.

## 2.0 Overview

The ambient air monitoring network for Jefferson County, Alabama is operated by the Jefferson County Department of Health (JCDH). Ambient air monitors in Jefferson County, Alabama are operated for a variety of monitoring objectives. These objectives include: determining if Jefferson County meets the National Ambient Air Quality Standards, providing public information to US Environmental Protection Agency's (USEPA) AirNow data mapping website, Air Quality Index (AQI) reporting for public information, background data collection, spatial considerations, and special projects. The daily AQI forecast for Jefferson County, Alabama is reported on the JCDH website at: <https://www.jcdh.org/SitePages/Programs-Services/EnvironmentalHealth/Air-RadiationProtectionDivision/AirQualForecast.aspx>

In addition, hourly Ozone (O<sub>3</sub>), continuous Particulate Matter (PM<sub>10</sub> and PM<sub>2.5</sub>), Nitrogen Dioxide (NO<sub>2</sub>), Sulfur Dioxide (SO<sub>2</sub>), and Carbon Monoxide (CO) data is reported to the USEPA AirNow site. 40 CFR 58 has set minimum monitoring requirements for the pollutants that are to be compared with the NAAQS. These minimum requirements are based on population, the level of monitored pollutants, and Metropolitan Statistical Areas (MSA) as defined in the latest US Census information. Jefferson County has a 2020 MSA population estimate of 674,721. The Core Based Statistical Area (CBSA) is a collective term for both MSA and Micropolitan Statistical Areas (μSA). The population of the CBSA which includes the counties of Jefferson, Bibb, Blount, Chilton, Shelby, St. Clair, and Walker has a 2020 population estimate of 1,180,631.

JCDH air monitoring site data are suitable for NAAQS comparisons per appendices A, C, D, and E. JCDH's Quality Management Plan (QMP) is current with an approval date of June 28, 2019. JCDH Quality Assurance Project Plan (QAPP) for Ambient Air Quality Monitoring of Criteria and Multi-Pollutants is current with an approval date of December 14, 2018.

Based on 40 CFR part 58, Appendix D, JCDH began making Photochemical Assessment Monitoring (PAMS) measurements at the NCore site on the established begin date of June 1, 2021.

JCDH will be installing continuous PM<sub>2.5</sub> FEMs at its sites and coding them as SPMs. Previous years have shown issues with the FEMs thus JCDH will operate FRMs at these sites for NAAQS comparability as well as determining if the FEMs data are comparable to the FRMs.

JCDH reviewed all USEPA requirements for this monitoring plan including Environmental Justice (EJ) considerations. Currently, all monitors in this Ambient Air Monitoring Network Plan operate and monitor in areas that can be categorized as EJ areas. JCDH did not identify any new monitoring needs as it relates to EJ in Jefferson County. JCDH is currently exploring the utilization of portable monitoring equipment and has approved funding for Jefferson County schools to install low-cost air pollution sensors to further address any air pollution concerns at schools, including those in EJ areas.

### 3.0 Types of Monitoring Stations

**CASTNET – Clean Air Status and Trends Network:** is a national air quality monitoring network designed to provide data to assess trends in air quality, atmospheric deposition, and ecological effects due to changes in air pollutant emissions. CASTNET provides long-term monitoring of air quality in rural areas to determine trends in regional atmospheric nitrogen, sulfur, and ozone concentrations and deposition fluxes of sulfur and nitrogen pollutants in order to evaluate the effectiveness of national and regional air pollution control programs. US Environmental Protection Agency sponsored CASTNET ozone monitors are Part 58 compliant, therefore the data can be used for regulatory purposes. CASTNET ozone data is now reported to the Air Quality System (AQS).

**NCore – National Core multi-pollutant monitoring station:** Sites that measure multiple pollutants at trace levels in order to provide support to integrated air quality management data needs. Each state is required to operate one NCore site.

**PAMS – Photochemical Assessment Monitoring Station:** PAMS are established to obtain more comprehensive data in areas with high levels of ozone pollution by also monitoring oxides of nitrogen (NO<sub>x</sub>) and volatile organic compounds (VOCs). PAMS monitoring requirements were revised in the 2016 ozone NAAQS rule and a PAMS site is required in the state of Alabama in Jefferson County.

**SLAMS – State or Local Ambient Monitoring Station:** The SLAMS make up ambient air quality monitoring sites that are primarily needed for National Ambient Air Quality Standard comparisons.

**STN – PM<sub>2.5</sub> Speciation Trends Network:** A PM<sub>2.5</sub> speciation station designated to be part of the speciation trends network. This network provides chemical species data of fine particulates. There are currently two STN sites located in Jefferson County.

**Supplemental Speciation –** Any PM<sub>2.5</sub> speciation station that is used to gain supplemental data and is not dedicated as part of the speciation trends network.

## 4.0 Proposed Changes for 2025

- Remove all equipment from the Shuttlesworth monitoring site.

## 5.0 Monitoring Site Discussion

JCDH's ambient air monitoring network has been reviewed based on historic monitoring data, air quality monitoring regulations, data representation based on spatial considerations, special data needs, and changes needed based on the monitoring regulations. The items used in the evaluation were the following: AQS database, the 40 CFR parts 53 and 58 documents, and the census data and maps. JCDH monitors are classified as either State or Local Air Monitoring Station (SLAMS) or Special Purpose Monitor (SPM).

The following describes the purposes and any changes related to each monitor in the ambient air monitoring network in Jefferson County based on the review of the existing monitoring efforts.

1. **Leeds (01-073-1010)** – JCDH operates one O<sub>3</sub> monitor, one continuous FEM PM<sub>10</sub> monitor, one continuous FEM PM<sub>2.5</sub> monitor, and one manual FRM PM<sub>2.5</sub> monitor. No changes are proposed at this site at this time.
  - **Site Approval Status:** Site and monitors meet all design criteria for the monitoring network. The sample inlet for the O<sub>3</sub> is approximately 4.6 meters above ground level, the continuous PM<sub>10</sub> and PM<sub>2.5</sub> monitor is approximately 4.8 meters above ground level. No trees or obstacles impact the siting criteria for this site.

2. **McAdory** (01-073-1005) – JCDH operates one O<sub>3</sub> monitor, one continuous FEM PM<sub>2.5</sub> monitor, and one manual FRM PM<sub>2.5</sub> monitor. No changes are proposed for this site at this time.
  - **Site Approval Status:** Site and monitors meet all design criteria for the monitoring network. The sample inlet for the O<sub>3</sub> is approximately 4.6 meters above ground level, the continuous PM<sub>2.5</sub> monitor is approximately 4.7 meters above ground level, and the particulate manual monitors are approximately 5 meters above ground. No trees or obstacles impact the siting criteria for this site.
3. **NCore** (01-073-0023) – JCDH operates a NCore site which contains a full complement of instruments that includes: meteorological, IMPROVE, RADNET, and PAMS. The ambient air monitoring parameters currently include one O<sub>3</sub> monitor, one SO<sub>2</sub> monitor, one CO monitor, Nitric Oxides (NO<sub>x</sub> and NO<sub>y</sub>) monitors, one manual FRM PM<sub>2.5</sub> monitor, speciated PM<sub>2.5</sub>, one continuous FEM PM<sub>2.5</sub>, one continuous FEM PM<sub>10</sub> monitor, and one FEM PM<sub>10-2.5</sub> monitor. Meteorological instruments include: wind speed, wind direction, ambient temperature, barometric pressure, and relative humidity. No changes are proposed for this site.
  - **Site Approval Status:** Site and monitors meet all design criteria for the monitoring network. The meteorological tower is approximately 30 meters above ground level. The NO<sub>x</sub>, CO, and SO<sub>2</sub> sample inlets are approximately 4.3 meters above ground level. The O<sub>3</sub> sample inlet is approximately 4.6 meters above ground level, and PAMS is approximately 4.7 meters above ground level. The continuous particulate monitor is approximately 4.6 meters above ground level, while the manual particulate monitors and speciated PM<sub>2.5</sub> monitors are approximately 4 meters above ground level. IMPROVE and RADNET are operated at ground level. No trees or obstacles impact the siting criteria for this site.
4. **Near Road** (01-073-2059) – JCDH operates one NO<sub>x</sub> monitor, one CO monitor, and one manual FRM PM<sub>2.5</sub> monitor at this site. Meteorological instruments include: wind speed, wind direction, ambient temperature, barometric pressure, and relative humidity. No changes are proposed for this site.
  - **Site Approval Status:** Site and monitors meet all design criteria for the monitoring network. The meteorological tower is approximately 30 meters above ground level. The NO<sub>x</sub> and CO sample inlets are approximately 4.2 meters above ground level. The manual particulate monitor is approximately 4.8 meters above ground level. A tree is located west of the site, approximately 10.7 meters. There are no other trees or obstacles that would impact the siting criteria for this site.
5. **Shuttlesworth** (01-073-6004) – JCDH discontinued all monitoring at this monitoring site in 2024. JCDH will remove all equipment at this site in 2025. As part of a settlement with Bluestone Coke, if the facility reopens, the facility has agreed to do fenceline monitoring that JCDH must approve for SO<sub>2</sub>. JCDH is committed to monitoring for PM<sub>2.5</sub> and PM<sub>10</sub> if Bluestone resumes coke production. There are currently 2 nearby monitoring sites with the NCore site 2.2 km to the southwest and the Tarrant site 2.6 km to the northeast. (Figure 1).





**Figure 1:** Map showing the distance between Shuttlesworth and the NCore and Tarrant monitoring sites.

6. **Tarrant (01-073-6002)** – JCDH operates one  $O_3$  monitor, one continuous FEM  $PM_{10}$  monitor, one manual FRM  $PM_{2.5}$  monitor, and one continuous FEM  $PM_{2.5}$  monitor at this site. No changes are proposed for this site.
  - **Site Approval Status:** The  $O_3$  monitor sample inlet is approximately 4.3 meters above ground level. The continuous particulate monitor is approximately 4.4 meters above ground level. A tree is located north of the site, at approximately 11 meters. Another tree is located northeast of the site, at approximately 10 meters. No trees or obstacles impact the siting criteria for this site.
7. **Wylam (01-073-2003)** – JCDH operates one continuous FEM  $PM_{10}$  monitor, one continuous FEM  $PM_{2.5}$  monitor, two manual FRM  $PM_{2.5}$  monitors, speciated  $PM_{2.5}$ , one  $O_3$  monitor, one  $SO_2$  monitor, and one CO monitor at this site. EPA special study sampling of  $Cr^{6+}$  will end in summer 2024 and a risk assessment will be done by EPA. All monitors at the former Fairfield monitoring site ( $O_3$ ,  $SO_2$ , and CO) will be moved to the Wylam site during summer 2024. No changes are proposed for this site.
  - **Site Approval Status:** The sample inlets for the continuous particulate monitors are approximately 4.5 meters above ground level. The manual particulate monitors are approximately 5 meters above ground level, and the sample inlet for the speciated  $PM_{2.5}$  is approximately 4.8 meters above ground level. No trees or obstacles impact the siting criteria for this site.

## 6.0 Monitoring Site Location Coordinates

Site Name	Site ID	Address	Latitude	Longitude
Leeds	01-073-1010	201 Ashville Road, Leeds, AL	33.5394	-86.5518
McAdory	01-073-1005	4821 McAdory School Road, McCalla, AL	33.3316	-87.0001
NCore	01-073-0023	3009 28th Street North, Birmingham, AL	33.5530	-86.8147
Near-Road	01-073-2059	1110 5th Street West, Birmingham, AL	33.5215	-86.8444
Tarrant	01-073-6002	1269 Portland St, Tarrant, AL	33.5783	-86.7738
Wylam	01-073-2003	1242 Jersey St, Birmingham, AL	33.4997	-86.9241

DRAFT

## 7.0 Monitoring Network Assessment

MONITORING NETWORK ASSESSMENT									
Leeds 01-073-1010									
Parameter	Code	POC	Method	Method Description	Manual/Continuous	Site Type	Siting Scale	Monitor Objective	Monitor Type
O <sub>3</sub>	44201	1	087	UltraViolet Absorption	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>2.5</sub>	88101	1	142	VSCC Gravimetric	Manual	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>10</sub>	81102	4	239	Broadband Spectroscopy	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>2.5</sub>	88101	3	238	Broadband Spectroscopy	Continuous	Population Oriented	Neighborhood	Population Exposure	SPM
McAdory 01-073-1005									
Parameter	Code	POC	Method	Method Description	Manual/Continuous	Site Type	Siting Scale	Monitor Objective	Monitor Type
O <sub>3</sub>	44201	1	087	UltraViolet Absorption	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>2.5</sub>	88101	1	142	VSCC Gravimetric	Manual	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>10</sub>	81102	1	239	Broadband Spectroscopy	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>2.5</sub>	88101	2	238	Broadband Spectroscopy	Continuous	Population Oriented	Neighborhood	Population Exposure	SPM
NCore 01-073-0023									
CO	42101	2	093	Gas Filter Correlation	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
SO <sub>2</sub>	42401	2	100	UltraViolet Fluorescence	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
NO <sub>2</sub>	42602	2	200	Photolytic Chemiluminescence	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
O <sub>3</sub>	44201	1	087	UltraViolet Absorption	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>2.5</sub>	88101	1	142	VSCC Gravimetric	Manual	Population Oriented	Neighborhood	Highest Concentration/Pop Exp	SLAMS
PM <sub>10</sub>	81102	4	239	Broadband Spectroscopy	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>2.5</sub>	88101	3	238	Broadband Spectroscopy	Continuous	Population Oriented	Neighborhood	Highest Concentration/Pop Exp	SPM
Near Road 01-073-2059									
Parameter	Code	POC	Method	Method Description	Manual/Continuous	Site Type	Siting Scale	Monitor Objective	Monitor Type
CO	42101	1	093	Gas Filter Correlation	Continuous	Population Oriented	Microscale	Source Oriented	SLAMS
NO <sub>2</sub>	42602	1	200	Photolytic Chemiluminescence	Continuous	Population Oriented	Microscale	Source Oriented	SLAMS
PM <sub>2.5</sub>	88101	1	142	VSCC Gravimetric	Manual	Population Oriented	Microscale	Source Oriented	SLAMS

## MONITORING NETWORK ASSESSMENT

### Tarrant 01-073-6002

Parameter	Code	POC	Method	Method Description	Manual/Continuous	Site Type	Siting Scale	Monitor Objective	Monitor Type
O <sub>3</sub>	44201	1	087	UltraViolet Absorption	Continuous	Population Oriented	Neighborhood	Highest Concentration	SLAMS
PM <sub>2.5</sub>	88101	1	142	VSCC Gravimetric	Manual	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>10</sub>	81102	3	239	Broadband Spectroscopy	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>2.5</sub>	88101	2	238	Broadband Spectroscopy	Continuous	Population Oriented	Neighborhood	Population Exposure	SPM

### Wylam 01-073-2003

Parameter	Code	POC	Method	Method Description	Manual/Continuous	Site Type	Siting Scale	Monitor Objective	Monitor Type
CO	42101	1	174	NonDispersive Infrared Photometry	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
O <sub>3</sub>	44201	1	087	UltraViolet Absorption	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>2.5</sub>	88101	1	142	VSCC Gravimetric	Manual	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>2.5</sub>	88101	2	142	VSCC Gravimetric	Manual	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>10</sub>	81102	2	239	Broadband Spectroscopy	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS
PM <sub>2.5</sub>	88101	3	238	Broadband Spectroscopy	Continuous	Population Oriented	Neighborhood	Population Exposure	SPM
SO <sub>2</sub>	42401	1	188	UltraViolet Fluorescence	Continuous	Population Oriented	Neighborhood	Population Exposure	SLAMS

**Appendix A:**  
**Monitoring Site Photos and Maps**

DRAFT



## Leeds

Site ID: 01-073-1010



North



South




East



West







**McAdory**  
Site ID: 01-073-1005



**North**



**South**



**East**



**West**








**NCore**  
**Site ID: 01-073-0023**



**North**



**South**





**East**



**West**









**Near Road**  
Site ID: 01-073-2059



**North**



**South**





**East**



**West**







**Tarrant**  
**Site ID: 01-073-6002**



**North**



**South**





**East**



**West**









## Wylam

Site ID: 01-073-2003



North



South





East



West







**Appendix B:**  
**Inventory of Monitoring Equipment**

DRAFT

Inventory of Monitoring Equipment				
Leeds 01-073-1010				
Item Description	Manufacturer	Model	Serial Number	Condition
PM Manual Instrument	BGI	PQ200	1708A	Good
PM Continuous Instrument	Teledyne	T640x	1278	Good
Ozone Analyzer	Teledyne	T400	6419	Good
Zero Air Generator	Teledyne	701	4657	Good
Calibrator	Teledyne	T703	857	Good
Data Logger	ESC	8872	1018	Good
McAdory 01-073-1005				
PM Manual Instrument	BGI	PQ200	875	Good
PM Continuous Instrument	Thermo	1400A	24935	Poor
Ozone Analyzer	Teledyne	T400	6420	Good
Zero Air Generator	Teledyne	701	5878	Good
Calibrator	Teledyne	703E	99	Good
Data Logger	ESC	8872	1268	Good
NCore 01-073-0023				
PM Manual Instrument	BGI	PQ200	1707A	Good
PM Continuous Instrument	Teledyne	T640x	947	Good
Ozone Analyzer	Teledyne	T400	1803	Good
CO Analyzer	Teledyne	T300U	384	Good
SO <sub>2</sub> Analyzer	Teledyne	T100U	318	Good
NO <sub>y</sub> Analyzer	Teledyne	T200U	288	Good
NO <sub>x</sub> Analyzer	Teledyne	T200UP	156	Good
Zero Air Generator	Teledyne	701H	1911	Good
Calibrator	Teledyne	T700U	332	Good
Data Logger	ESC	8872	1017	Good
Rain Gauge	MetOne	370	P17785	Good
Ceiliometer	Vaisala	CL51	P1750410	Good
Wind Sensor	MetOne	50.5	411556	Good
Temp Sensor	MetOne	597	X11330	Good
Solar Sensor	MetOne	096-2	Py-104698	Good
SASS	MetOne	Super Sass	X22221	Good
URG	MetOne	URG-300N	3N-B0160	Good
PAMS	-	-	-	Good
IMPROVE	-	-	BIRM1	Good
RADNET	HI-a	Hvp-4004 BL-S	16145	Good
Near Road 01-073-2059				
PM Manual Instrument	BGI	PQ200	1497	Good
CO Analyzer	Teledyne	T300U	582	Good
NO <sub>x</sub> Analyzer	Teledyne	T200UP	83	Good
Zero Air Generator	Teledyne	701H	1909	Good
Calibrator	Teledyne	T700U	169	Good
Data Logger	ESC	8872	1266	Good
Wind Sensor	MetOne	50.5H	P17504	Good
Wind Sensor	MetOne	50.5H	A5384	Good
Solar Sensor	MetOne	LI-2001R	PY40337	Good
Solar Sensor	MetOne	LI-2001R	PY40335	Good
Humidity/Temp Sensor	MetOne	083D-1-35	A4745	Good
Humidity/Temp Sensor	MetOne	083D-1-35	A4749	Good

Inventory of Monitoring Equipment				
Near Road 01-073-2059				
Item Description	Manufacturer	Model	Serial Number	Condition
BP Sensor	MetOne	092	P14411	Good
BP Sensor	MetOne	091	A5484	Good
Rain Gauge	MetOne	370	A5752	Good
Rain Gauge	MetOne	370	A5754	Good
Tarrant 01-073-6002				
PM Continuous Instrument	Thermo	1405	240221711	Good
Ozone Analyzer	Teledyne	T400	6994	Good
Zero Air Generator	Teledyne	701	5786	Good
Calibrator	Teledyne	T703	957	Good
Data Logger	ESC	8872	1270	Good
Wylam 01-073-2003				
PM Manual Instrument	BGI	PQ200	861A	Fair
PM Manual Instrument	BGI	PQ200	1513B	Good
PM Manual Instrument	BGI	PQ200	422C	Poor
PM Continuous Instrument	Thermo	1405	441607	Good
PM Continuous Instrument	Thermo	1405	242161809	Good
Data Logger	ESC	8872	1265	Good
URG	MetOne	URG-300N	B0454	Good
SASS	MetOne	Super Sass	A3084	Good
Ozone Analyzer	Teledyne	T400	4285	Good
SO <sub>2</sub> Analyzer	Teledyne	T100U	509	Good
CO Analyzer	Teledyne	T300	3377	Good
Zero Air Generator	Teledyne	T701H	1910	Good
Calibrator	Teledyne	T700U	168	Good
Data Logger	ESC	8872	1267	Good

Inventory of Backup Monitoring Equipment				
Located at Shop				
Item Description	Manufacturer	Model	Serial Number	Condition
Ozone Analyzer	Teledyne	T400	-	Good
Ozone Analyzer	EcoTech	Serinus 10	-	Fair
Ozone Analyzer	EcoTech	Serinus 10	-	Fair
CO Analyzer	Teledyne	T300U	-	Poor
CO Analyzer	EcoTech	Serinus 30	-	Good
NOx Analyzer	Teledyne	T200UP	-	Good
SO <sub>2</sub> Analyzer	Teledyne	T100U	-	Poor
SO <sub>2</sub> Analyzer	EcoTech	Serinus 50	-	Good
PM Continuous Instrument	Teledyne	T640x	-	Good
PM Continuous Instrument	Teledyne	T640x	-	Good
Calibrator	Teledyne	703E	-	Poor
Calibrator	EcoTech	Serinus 3000	-	Fair
Calibrator	Thermo	iQ49	-	Good
Calibrator	Thermo	iQ49	-	Good
Zero Air Generator	Teledyne	701H	-	Good
Zero Air Generator	Teledyne	701	-	Good
Zero Air Generator	Teledyne	701	-	Good
PM Continuous Instrument	Thermo	1400A	23655	Poor
PM Continuous Instrument	Thermo	1405	242221809	Good
Data Logger	ESC	8872	1269	Good
PM Manual Instrument	Thermo	2025i	-	Good
PM Manual Instrument	Thermo	2025i	-	Good
PM Manual Instrument	Thermo	2025i	-	Good
PM Manual Instrument	Thermo	2025i	-	Good
PM Manual Instrument	Thermo	2025i	-	Good
PM Manual Instrument	Thermo	2025i	-	Good
PM Continuous Instrument	Thermo	1400A	23591	Poor
Ozone Analyzer	Teledyne	T400	6993	Good
Zero Air Generator	Teledyne	701	4658	Good
Calibrator	Teledyne	T703	959	Good
Data Logger	ESC	8872	1016	Good

All listed equipment in this Appendix is as of May 2024.